


ALLERGY ACTION PLAN

USE 1 FORM PER CHILD FOR EACH ALLERGEN

Student _____
DOB _____ Teacher _____
Allergy to _____
Asthmatic? Yes* No *Higher risk for severe reaction



STEP 1 - TREATMENT

SEND STUDENT TO HEALTH OFFICE ACCOMPANIED BY RESPONSIBLE PERSON.

The severity of symptoms can quickly change. †Potentially life threatening.

Symptoms

- ◆ If a student has been exposed to/ingested an allergen but has NO symptoms:
- ◆ Mouth Itching, tingling, or swelling of lips, tongue, mouth:
- ◆ Skin Hives, itchy rash, swelling of the face or extremities:
- ◆ Gut Nausea, abdominal cramps, vomiting, diarrhea:
- ◆ Throat† Tightening of throat, hoarseness, hacking cough:
- ◆ Lung† Shortness of breath, repetitive coughing, wheezing:
- ◆ Heart† Thready pulse, low blood pressure, fainting, pale, blueness:
- ◆ Other† _____:
- ◆ If reaction is progressing, (several of the above areas affected), give:

Give checked Medication**

***To be determined by physician authorizing treatment*

- | | |
|--------------------------------------|--|
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |

DOSAGE _____ START DATE _____ END DATE _____

Epinephrine: Inject intramuscularly. See reverse side for instructions.

- EpiPen® Other _____
 EpiPen® Jr. Medication/Dose _____
 Auvi-Q 0.3mg
 Auvi-Q 0.15mg

Important; Asthma inhalers and/or antihistamines cannot be depended upon to replace epinephrine in anaphylaxis.

Antihistamine: Give _____
antihistamine/dose/route

Other: Give _____
medication/dose/route

SCHOOL TRANSPORTATION

- Please check if student requires emergency medication while using school transportation.

Considerations For School Transportation: _____

STEP 2 - EMERGENCY CALLS

PARAMEDICS MUST BE CALLED IF EIPEN OR TWINJECT IS GIVEN. EIPEN OR TWINJECT ONLY LAST 15-20 MINUTES.

1. Call 911. State that an anaphylactic reaction has been treated, type of treatment given (i.e., EpiPen or Auvi-Q) and that additional epinephrine may be needed

EMERGENCY CONTACTS

NAME	RELATIONSHIP	TELEPHONE NUMBER
1. _____	_____	_____
2. _____	_____	_____

- Please check if medications WILL NOT be given at school and parent and physician sign page 2.

Authorization for the Release of Information: I hereby give permission for _____ School to exchange specific confidential medical information with _____ (physician/clinic) on my child _____ to develop more ways of providing for the healthcare needs of my child in school.

EVEN IF PARENT/GUARDIAN CANNOT BE REACHED, DO NOT HESITATE TO MEDICATE OR TAKE CHILD TO MEDICAL FACILITY!

Parent/Guardian Signature _____ Date _____

Physician Name _____ Phone number _____

Physician Signature _____ Date _____

*******(To be completed ONLY if student will be carrying an Epinephrine Autoinjector)*******

AUTHORIZATION FOR STUDENT POSSESSION AND USE OF AN EPINEPHRINE AUTOINJECTOR (In accordance with ORC 3313.718/8313.141)

This section must be completed and signed by the student's parent or guardian.

As the Parent/Guardian of this student, I authorize my child to possess and use an epinephrine autoinjector, as prescribed, at the school and any activity, event, or program sponsored by or in which the student's school is a participant. I understand that a school employee will immediately request assistance from an emergency medical service provider if this medication is administered. I will provide a backup dose of the medication to the school principal or nurse as required by law.

Parent /Guardian signature	Date
Parent/Guardian name	Parent/Guardian emergency telephone number ()

This section must be completed and signed by the medication prescriber.

Name and dosage of medication	
Date medication administration begins	Date medication administration ends (if known)

Circumstances for use of the epinephrine autoinjector
Procedures for school employees if the student is unable to administer the medication or if it does not produce the expected relief

Possible severe adverse reactions:

To the student for which it is prescribed (that should be reported to the prescriber)
To a student for which it is <i>not</i> prescribed who receives a dose

Special instructions

As the prescriber, I have determined that this student is capable of possessing and using this autoinjector appropriately and have provided the student with training in the proper use of the autoinjector.

Prescriber signature	Date
Prescriber name	Prescriber emergency telephone number ()